FOREST
DRAPERY HARDWARE

FOREST RBS® MOTORIZED

WHERE DESIGN
BECOMES REALITY



Scan for more information on the FOREST RBS Motorized System

RBS MOTORIZED ROMAN BLIND SYSTEM

- The most durable and functional roman blind system on the market. RBS includes integrated Velcro tape so the fabric can be easily attached and removed.
- Aluminum, white, powder coated extrusion. Best suited for light weight fabrics in contract or residential applications.
- Maximum weight is 10 lbs with a maximum width of 84".
- The Forest tubular motor includes a 10 year warranty. The lithium iOn battery includes a 1 year warranty.

ASSEMBLED SYSTEM

Includes headrail, cord roll supports, brackets, counterweight (if requested), Velcro profile, motor and remote or wall switch. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed.

RBS MOT	COMPONENT
●	 **62903-25** RBS Tubular Motor, 24 V Double Shaft Lifts up to 10 lbs.
●	**52928-25** 7' 6" power cord **52934-25** 16' power cord Includes 24 v Power Supply
●	**52931-25D** white **59D** black Diamond Sense Remote RF, 15 channel w/ holder, Range 98'
●	**52933-25** white **59** black Diamond Sense Wall Switch 2 channel

RBS MOT	COMPONENT
●	 **62910-25** RBS Tubular Lithium Motor, 1-year warranty 24 V, includes plug
●	**62911-25** Remote for Lithium Motor 15 channel w/ holder
●	 **62912-25** Lithium Battery & Adaptor
●	**52947-25** Wireless Connector One-way transmitter to control drapery by third party app or by home automation. Use with Forest Shuttle & tubular motors.

FOREST RBS® MOTORIZED

RBS MOT	COMPONENT
●	 **41019-25** RBS Headrail white 19' x 10 rails/bundle bundle = 190'
●	 **49010-25** RBS Cord Roll Support w/ quick lock, 12' drop
●	**62913-25** RBS End Caps left & right
●	 **41119-90** 19' Rod aluminum 3/16" x 3/16"
●	 **49005-25** Counterweight, 19' aluminum 1" x 1/8"
●	**31116-25** Velcro Profile w/ Hook Tape, 13.1'
●	**43202-25** Swivel Wall Bracket
●	**43003-25** Swivel Ceiling Bracket
●	**43033-25** Klick Wall Bracket
●	**43034-25** Hidden Klick Multi Bracket

RBS MOT	COMPONENT
●	**43004-25** Klick Ceiling Bracket
●	 **49090-25** Valance Bracket attaches to Velcro profile
●	**49091-25** Valance Corners
●	**49008-00** Shade Leveler
●	**39007-25** Velcro Tape 27 yds. per roll
●	**49006-25** Fiberglass Spines, 19' 3/16" diameter
●	**49014-25** Plastic Snap Ring
●	**49013-25** Plastic Ring Cord Guide
●	**49400-25** Shroud 73 yds. per roll

WWW.FORESTDH.COM 866.823.3894 / CUSTOMERSERVICE@FORESTDH.COM

RBS® TUBULAR MOTOR SPECIFICATIONS

MOTOR SPECIFICATIONS



62903-25 RBS Tubular Motor

- Double Shaft Lifts up to 10 lbs.
- 24 Vdc, 16 Watt
- Torque: 0.8Nm - max 1.0 Nm
- 34 rpm
- max. running time 7 min
- max. 5 cord rolls
- 10 Year Warranty



62910-25 RBS Tubular Lithium Motor

- Lifts up to 15 lbs.
- 24 Vdc, 10 Watt
- Torque: 0.8 Nm
- 34 rpm
- 350 revolutions per 8 hr charge
- Rechargeable
- 1 Year Warranty